

Recommended Nuclear Decay Data

Fe-55

Decay Mode: EC	Half-Life: (1001.0 ± 2.3) d			[2]		
Radiation Type	Energy (keV)			Intensity (%)		Ref.
Auger-L	0.5	-	0.8	144	8	[3]
Auger-K	4.95	-	6.49	60.0	10	[3]
X-ray L	0.64			0.56	9	[2]
X-ray K α	5.89			24.9	9	[2]
X-ray K β	6.49			3.4	1	[2]

Recommended Nuclear Decay Data

■ Decay Mode

α	Alpha
β^- , β^+	Beta
EC	Electron capture
IT	Isomeric transition

■ Half-Life

s	Seconds
m	Minutes
h	Hours
d	Days
y	Years

■ Energy

All energies are given in keV.
Normally there are energies listed with an intensity $\geq 1\%$.

■ Radiation Type

Auger-L/K	L or K-shell auger electron
ce-K-1	K-shell conversion electron transition 1
ce-L-2	L-shell conversion electron transition 2
α	Alpha particle
β^- max, β^+ max	Beta particle (maximal energy)
β^- av, β^+ av	Beta particle (average energy)
X-ray L	L X-ray
X-ray $K\alpha$, $K\beta$	K X-rays
γ	Gamma ray
γ Annih.	Annihilation radiation
Σ	Signifies weighted mean energies and intensities

■ Intensity

Values are given in percent. The format used for the uncertainties in the listed values can be illustrated by the following examples:

$$1.2 \quad 56 \quad = \quad 1.2 \pm 5.6$$
$$1.23 \quad 56 \quad = \quad 1.23 \pm 0.56$$

■ References

- [1] PTB-6.11-97-1, Braunschweig, Oktober 1997
- [2] PTB-Ra-16/5, Braunschweig, Mai 2000
- [3] LMRI. Table de radionuclides. 1982 ff
- [4] NCRP Report No.58, 2nd Edition, February 1985
- [5] Table de Radionuclides, BNM-CEA/DTA/LPRI Commissariat à l'Énergie Atomique – France 1999
- [6] National Nuclear Data Center USA, Brookhaven National Laboratory Upton N.Y.
- [7] Table of Isotopes, 8th Edition, 1996
- [8] BNM-CEA/DTA/DAMRI Nuclear and Atomic Decay Data ; 19/12/98

Eckert & Ziegler Nuclitec GmbH

Gieselweg 1
38110 Braunschweig
Deutschland

Tel. +49 5307 932-555
Fax +49 5307 932-194
www.nuclitec.de